

Species, cultivar, originator, date of introduction, country of origination, and flower code. For species without cultivar: author. Flower code ("Wister"): S=single, D=double, I=white, II=violet, III=bluish, IV=lilac, V=pinkish, VI=magenta, VII=purple.

Note that information on plaques may not always be up-to-date.

#### EAST LILAC WALK - EAST SIDE N-S

- |      |  |       |   |
|------|--|-------|---|
| EE1  | <i>S. vulgaris</i> 'Président Loubet',<br>Lemoine 1901, France; D VI               | EE17  | <i>S. vulgaris</i> 'Toussaint-Louverture',<br>Lemoine 1898, France; S VII |
| EE2  | <i>S. vulgaris</i> 'Komsomolka',<br>Kolesnikov pre 1974, Russia; D IV              | EE18  | <i>S. vulgaris</i> 'Pink Dan',<br>origin not known; D V                   |
| EE3  | <i>S. (Villosae Group)</i> 'Minuet',<br>Cumming 1972, Manitoba; S VII              | EE20  | <i>S. vulgaris</i> 'Edmond About',<br>Lemoine 1908, France; D VI          |
| EE4  | <i>S. vulgaris</i> 'Adelaide Dunbar',<br>Dunbar 1916, USA; D VII                   | EE21  | <i>S. vulgaris</i> 'Mons. Maxime Cornu',<br>Lemoine 1886, France; D V     |
| EE5  | <i>S. ×hyacinthiflora</i> 'Mount Baker',<br>Skinner 1961, Manitoba; S I            | EE22a | <i>S. ×hyacinthiflora</i> 'Norah'<br>Preston pre 1931, Ontario; S IV      |
| EE6a | <i>S. oblata</i> subsp. <i>dilatata</i> ,<br>(Nakai) P.S. Green & M.C. Chang; S IV | EE24  | none  |
| EE8  | <i>S. vulgaris</i> 'Perle von Stuttgart',<br>Pfitzer 1910, Germany; D IV           | EE25  | <i>S. vulgaris</i> 'Pink Mist',<br>Havemeyer & Eaton 1953, USA; S V       |

---

#### Walk

---

- |      |  |   |   |
|------|--|---|---|
| EE9  | <i>S. ×hyacinthiflora</i> 'Hyacinthiflora Plena',<br>Lemoine 1878, France; D III | EE27  | <i>S. vulgaris</i> 'Ethiopia',<br>origin not known, pre 1929; S VII                   |
| EE10 | <i>S. vulgaris</i> 'Souvenir de Simone',<br>Bruchet pre 1923, France; D I        | EE28  | <i>S. vulgaris</i> 'Ruhm von Horstenstein',<br>Wilke 1928, Germany; S VI              |
| EE11 | none   | EE29  | <i>S. ×chinensis</i> Schmidt ex Willd. (pro sp.);<br>S IV                             |
| EE12 | <i>S. vulgaris</i> 'Atheline Wilbur',<br>Fiala 1979, USA; D VI                   | EE30  | <i>S. vulgaris</i> 'Avalanche',<br>Fiala 1983, USA; S I                               |
| EE13 | <i>S. vulgaris</i> 'St Joan',<br>Blacklock ca 1957, Ontario; D I                 | EE31  | <i>S. ×hyacinthiflora</i> 'Catinat',<br>Lemoine 1922, France; S V                     |
| EE14 | <i>S. ×hyacinthiflora</i> 'Sister Justina',<br>Skinner 1956, Manitoba; S I       | EE32  | <i>S. vulgaris</i> 'Mme Casimir Périer',<br>Lemoine 1894, France; D I                 |
| EE15 | <i>S. xdiversifolia</i> 'William H. Judd',<br>Sax & Skinner, USA & Manitoba; S I | <hr/> <h4 style="text-align: center;">Walk</h4> <hr/> |   |
| EE16 | <i>S. ×hyacinthiflora</i> 'Buffon',<br>Lemoine 1921, France; S V                 | EE33  | <i>S. (Villosae Group)</i> 'Summer White',<br>Lape 1975, USA; <i>S. ×henryi</i> ; S I |

---

#### Walk

---

EE36	<i>S. (Villosae Group) ‘James Macfarlane’</i> , Yeager 1959, USA; <i>S. xjosiflexa</i> ; S V	EE57	<i>S. vulgaris ‘Madeleine Lemaire’</i> , Lemoine 1928, France; D I
EE37	<i>S. vulgaris ‘Atheline Wilbur’</i> , Fiala 1979, USA; D VI	EE59	<i>S. ×hyacinthiflora ‘Old Glory’</i> , Egolf & Pooler 2006, USA; S III-VII
EE38	<i>S. vulgaris ‘Primrose’</i> Maarse Jbzn, G. 1949, The Netherlands; S I	EE61	<i>S. vulgaris ‘Miss Ellen Willmott’</i> , Lemoine 1903, France; D I
EE39	<i>S. vulgaris ‘Montaigne’</i> , Lemoine 1907, France; D V	EE61a	<i>S. (Villosae Group) ‘Hecla’</i> , Skinner 1936, Manitoba; <i>S. ×prestoniae</i> ; S V-1
EE40	<i>S. vulgaris ‘Montaigne’</i> , Lemoine 1907, France; D V	<hr/> <b>Access</b> <hr/>	
EE41	<i>S. ×hyacinthiflora ‘Declaration’</i> , Egolf & Pooler 2006, USA; S VI-VII	EE62	<i>S. vulgaris ‘Président Viger’</i> , Lemoine 1900, France; D III
EE42	<i>S. ×hyacinthiflora ‘Clarke’s Giant’</i> , Clarke 1948, USA; S III	EE64	<i>S. vulgaris ‘Marie Legraye’</i> , Legraye pre 1879, Belgium; S I
EE43	<i>S. vulgaris ‘Miss Ellen Willmott’</i> , Lemoine 1903, France; D I	EE65	<i>S. (Villosae Group) ‘Coral’</i> , Preston & Leslie 1936, Ontario & Manitoba; <i>S. ×prestoniae</i> ; S V
EE44	<i>S. vulgaris ‘Spectabilis’</i> , origin not known, pre 1876; S IV	EE66	<i>S. (Villosae Group) ‘Lavinia’</i> , Preston 1928, Ontario; <i>S. ×prestoniae</i> ; S IV
EE46	<i>S. vulgaris ‘Mechta’</i> , Kolesnikov 1941, Russia; S III-IV	<b>EAST LILAC WALK - WEST SIDE N-S</b>	
EE47	<i>S. pubescens</i> subsp. <i>patula</i> ‘Cinderella’ Moro, F., 1998, Quebec; S V	EW2	<i>S. vulgaris ‘Katherine Havemeyer’</i> , Lemoine 1922, France; D V
EE48	<i>S. vulgaris ‘Pierre Joigneaux’</i> , Lemoine 1892, France; D IV	EW3	<i>S. vulgaris ‘Godron’</i> , Lemoine 1908, France; D III
<hr/> <b>Gazebo</b> <hr/>			
EE49	<i>S. reticulata</i> (Blume) H.Hara; S I	EW4	<i>S. vulgaris ‘Kingsville’</i> , Hohman 1947, USA; S VII
<hr/> <b>Walk</b> <hr/>			
EE50	<i>S. reticulata</i> (Blume) H.Hara; S I	EW5	<i>S. vulgaris ‘Ami Schott’</i> , Lemoine 1933, France; S II
EE51	<i>S. xchinensis</i> Schmidt ex Willd. (pro sp.); S IV	EW6	<i>S. ×chinensis ‘Saugeana’</i> , Saugé ca. 1820, France; S V-VII
EE52a	<i>S. vulgaris ‘Charles Joly’</i> , Lemoine 1896, France; D VII	EW7	<i>S. vulgaris ‘Président Grévy’</i> , Lemoine 1876, France; D III
EE54	<i>S. vulgaris ‘Mme Léon Simon’</i> , Lemoine 1897, France; D IV	EW8	<i>S. vulgaris ‘Crépuscule’</i> , Lemoine 1928, France; S III
EE55	<i>S. vulgaris ‘Charm’</i> , Havemeyer pre 1941, USA; S V	EW9	<i>S. ×hyacinthiflora ‘Churchill’</i> , Skinner 1945, Manitoba; S V
<hr/> <b>Walk</b> <hr/>		EW10	none

EW11 *S. ×hyacinthiflora* ‘Viscountess Willingdon’,  
Preston 1932, Ontario; S IV and D IV

EW12 *S. vulgaris* ‘Krasavitsa Moskvy’  
Kolesnikov 1947, Russia; D I

EW13 none

EW14 *S. vulgaris* ‘General Sherman’,  
Dunbar 1917, USA; S V

EW15 *S. vulgaris* ‘Boule Azurée’,  
Lemoine 1919, France; S III

EW16 *S. vulgaris* ‘Nadezhda’,  
Kolesnikov 1968, Russia; S III

EW17 *S. vulgaris* ‘Victor Lemoine’,  
Lemoine 1906, France; D IV

---

Walk

---

EW18 *S. vulgaris* ‘Capitaine Baltet’,  
Lemoine 1919, France; S VI

EW19 *S. vulgaris* ‘Comte Adrien de Montebello’,  
Lemoine 1910, France; D IV

EW20 *S. vulgaris* ‘Condorcet’,  
Lemoine 1888, France; D VI

EW21 *S. vulgaris* ‘McMaster Centennial’  
Brown 1987, Ontario; D I

EW22 *S. vulgaris* ‘Congo’,  
Lemoine 1896, France; S VI

EW23 *S. vulgaris* ‘Wonderblue’,  
Fiala 1989, USA; S III

EW24 *S. vulgaris* ‘Montaigne’,  
Lemoine 1907, France; D V

EW25 *S. pubescens* subsp. *patula* ‘Miss Kim’,  
Meader & Yeager 1954, USA; S II

EW26 *S. vulgaris* ‘Duc de Massa’,  
Lemoine 1905, France; D III

EW27 *S. vulgaris* ‘Königin Luise’,  
Pfitzer 1921, Germany; S I

EW28 *S. vulgaris* ‘Macrostachya’,  
Renaud 1874, France; S V

EW29 *S. vulgaris* ‘Duc de Massa’,  
Lemoine 1905, France; D III

EW30 *S. (Villosae Group)* ‘Alice’,  
Preston 1928, Ontario; *S. ×prestoniae*; S VII

EW32 *S. vulgaris* ‘Président Carnot’,  
Lemoine 1890, France; D IV

EW33 *S. vulgaris* ‘Doyen Keteler’,  
Lemoine 1895, France; D IV

EW34 *S. ×hyacinthiflora* ‘Evangeline’,  
Skinner 1934, Manitoba; D VI

---

Walk

---

EW35 *S. ×hyacinthiflora* ‘Pocahontas’,  
Skinner 1935, Manitoba; S II

EW36 *S. vulgaris* ‘Planchon’,  
Lemoine 1908, France; D VI

EW37 *S. vulgaris* ‘Monge’,  
Lemoine 1913, France; S VII

EW38 *S. vulgaris* ‘Edward J. Gardner’,  
Gardner pre 1950, USA; D V

EW39 *S. vulgaris* ‘Croix de Brahy’,  
Brahy-Ekenholm 1853, Belgium; S V

EW40 *S. vulgaris* ‘Prodige’,  
Lemoine 1928, France; S VII

EW41 *S. ×hyacinthiflora* ‘Esther Staley’,  
Clarke 1948, USA; S VI

EW42 *S. vulgaris* ‘Edmond About’,  
Lemoine 1908, France; D VI

EW43 *S. vulgaris* ‘Pierre Joigneaux’,  
Lemoine 1892, France; D IV

EW44 *S. ×hyacinthiflora* ‘Lamartine’,  
Lemoine 1911, France; S V

EW45 *S. vulgaris* ‘Silver King’,  
Lemke 1941, USA; S III

EW46 *S. vulgaris* ‘Charles X’,  
origin not known, pre 1830; S VI

EW47 *S. vulgaris* ‘Thunberg’,  
Lemoine 1913, France; D IV

EW48 *S. vulgaris* ‘Mme Antoine Buchner’,  
Lemoine 1909, France; D V

EW49 *S. ×hyacinthiflora* ‘Anabel’,  
Hawkins 1956, USA; D V

EW50 *S. vulgaris* ‘Dappled Dawn’,  
Hauck 1966, USA; S III\*

EW51 *S. reticulata* (Blume) H.Hara; S I

---

Gazebo

---

EW52 *S. reticulata* (Blume) H.Hara; S I

EW53 *S. vulgaris* ‘Downfield’,  
Havemeyer pre 1942, USA; D VI

EW54 *S. vulgaris* ‘Yankee Doodle’,  
Fiala 1985, USA; S VII

EW55 *S. vulgaris* ‘Président Viger’,  
Lemoine 1900, France; D III

EW56 *S. vulgaris* ‘Michel Buchner’,  
Lemoine 1885, France; D IV

EW57 *S. vulgaris* ‘Jean Macé’,  
Lemoine 1915, France; D V

EW58 *S. vulgaris* ‘Tombouctou’,  
Lemoine 1910, France; S VII

EW59 *S. vulgaris* ‘Lucelle’,  
Robinson 1945, Manitoba; S VI

EW60 *S. vulgaris* ‘Lucelle’,  
Robinson 1945, Manitoba; S VI

EW61 *S. ×hyacinthiflora* ‘Lavender Lady’,  
Lammerts 1953, USA; S VII

EW62 *S. pubescens* ssp. *julianae* ‘George Eastman’,  
Fenicchia 1978, USA; S V-VI

---

Access

---

EW63 *S. vulgaris* L.;  
S IV

EW64 *S. vulgaris* ‘Thunberg’,  
Lemoine 1913, France; D IV

EW65 *S. vulgaris* ‘Etna’,  
Lemoine 1927, France; S VII

EW66 *S. (Villosae Group)* ‘Olivia’,  
Preston 1928, Ontario; *S. ×prestoniae*; S VI

EW67 *S. (Villosae Group)* ‘Pallens’,  
Lemoine 1931, France; S V

EW68 *S. (Villosae Group)* ‘Ferna Alexander’,  
Alexander Sr 1970, USA; S V

WEST LILAC WALK - EAST SIDE N-S

WE13a *S. vulgaris* ‘Porcelain Blue’,  
Fiala 1981, USA; S III

WE13b *S. meyeri* ‘Palibin’  
origin not known, pre 1920; S V

WE14 *S. vulgaris* ‘Azurea Plena’,  
Libert-Darimont 1843, Belgium; D III

WE15 none

WE16a *S. vulgaris* ‘G.J. Baardse’,  
Eveleens Maarse 1943, The Netherlands; S VI

WE17 *S. vulgaris* ‘Crépuscule’,  
Lemoine 1928, France; S III

WE18 *S. vulgaris* ‘Diplomate’,  
Lemoine 1930, France; S III

WE19 *S. vulgaris* ‘Agincourt Beauty’,  
Slater, 1970, Ontario; S II

WE20 *S. vulgaris* ‘President Lincoln’,  
Dunbar 1916, USA; S III

WE21 *S. vulgaris* ‘Mrs Edward Harding’,  
Lemoine 1922, France; D VI

WE22 *S. vulgaris* ‘Président Fallières’,  
Lemoine 1911, France; D IV

WE23 *S. vulgaris* ‘Président Loubet’,  
Lemoine 1901, France; D VI

WE24 *S. vulgaris* ‘William S. Riley’,  
Dunbar 1922, USA; S VI

WE24a *S. ×hyacinthiflora* ‘Peggy’  
Preston 1931, Ontario; S III

WE25 *S. (Villosae Group)* ‘Jaga’,  
Bugala, pre 1970, Poland; *S. ×prestoniae*; S II

WE26 *S. (Villosae Group)* ‘Pallens’,  
Lemoine 1931, France; S V

WE27 *S. meyeri* ‘Palibin’,  
pre 1920; S V (east of row, in rock garden)

---

Walk

---

WE28 *S. ×hyacinthiflora* ‘Mount Baker’,  
Skinner 1961, Manitoba; S I

WE29 *S. ×hyacinthiflora* ‘Peggy’,  
Preston 1931, Ontario; S III

WE30	<i>S. vulgaris</i> ‘Olivier de Serres’, Lemoine 1909, France; D III	WE48	<i>S. (Villosae Group)</i> ‘Minuet’, Cumming 1972, Manitoba; S VII
WE31	<i>S. vulgaris</i> ‘Olivier de Serres’, Lemoine 1909, France; D III	WE49	<i>S. vulgaris</i> ‘W.T. Lee’, Schloen 1962, Ontario; D V
WE32	<i>S. (Villosae Group)</i> ‘Hunting Tower’, Skinner 1942, Manitoba; S I	WE50	<i>S. (Villosae Group)</i> ‘Ethel M. Webster’, Preston 1948, Ontario; S V
WE33	<i>S. vulgaris</i> ‘Maurice de Vilmorin’, Lemoine 1900, France; D IV	WE51	<i>S. vulgaris</i> ‘Sarah Sands’, Havemeyer 1943, USA; S VII
WE34	<i>S. vulgaris</i> ‘Mme Florent Stepman’, Stepman-Demessemaeker 1908, Belgium; S I	WE52	<i>S. vulgaris</i> ‘Weddle’, Klager 1928, USA; D VI
WE35	<i>S. vulgaris</i> ‘Christophe Colomb’, Lemoine 1905, France; S IV	WE53	none
WE36	<i>S. vulgaris</i> ‘Maréchal Foch’, Lemoine 1924, France; S VI	WE54	<i>S. vulgaris</i> ‘Katherine Havemeyer’, Lemoine 1922, France; D V
WE37	<i>S. ×chinensis</i> ‘Metensis’, origin not known, ca. 1860; S I-V	WE55	<i>S. vulgaris</i> ‘Priscilla’, Havemeyer 1944, USA; S VI
<hr/>			
Walk			
WE38	<i>S. ×hyacinthiflora</i> ‘Excel’, Skinner 1932, Manitoba; S IV	WE56	<i>S. (Villosae Group)</i> ‘Miss Canada’, Cumming 1967, Manitoba; S V
WE39	<i>S. vulgaris</i> ‘Andenken an Ludwig Späth’, Späth 1883, Germany; S VII	WE57	<i>S. vulgaris</i> ‘Professor Sargent’, Späth 1889, Germany; S VI
WE40	<i>S. vulgaris</i> ‘Heavenly Blue’, Blacklock ca 1943, Ontario; S III	WE58	<i>S. ×prestoniae</i> ‘Calphurnia’, Preston pre 1942, Ontario; S IV
WE41	<i>S. vulgaris</i> ‘Heavenly Blue’, Blacklock ca 1943, Ontario; S III	WE59	<i>S. ×josiflexa</i> ‘Elaine’ Preston 1948, Ontario; S I
WE42	<i>S. (Villosae Group)</i> ‘Isabella’, Preston 1927, CEF, Ontario; <i>S. ×prestoniae</i> ; S IV	WE60	<i>S. vulgaris</i> ‘Princesse Camille de Rohan’, Brahy-Ekenholm pre 1856, Belgium; S V
WE43	<i>S. vulgaris</i> ‘Mme Antoine Buchner’, Lemoine 1909, France; D V	WE61	<i>S. (Villosae Group)</i> ‘Charmian’, Preston 1928, Ontario; <i>S. ×prestoniae</i> ; S IV
WE44	<i>S. ×hyacinthiflora</i> ‘Lavender Lady’, Lammerts 1953, USA; S VII	WE62	<i>S. (Villosae Group)</i> ‘Virgilia’, Preston 1928, Ontario; <i>S. ×prestoniae</i> ; S VI
WE45	<i>S. vulgaris</i> ‘Edith Cavell’, Lemoine 1916, France; D I	WE63	<i>S. vulgaris</i> ‘Albert F. Holden’, Fiala 1980, USA; S II-VII
WE46	<i>S. × hyacinthiflora</i> ‘Clarke’s Giant’, Clarke 1948, USA; S III	WE64	<i>S. vulgaris</i> ‘Prince Notger’, origin not known, pre 1841; S III
<hr/>			
Access			
WE47	<i>S. vulgaris</i> ‘Erzherzog Johann’, origin not known, pre 1864; S IV	WE65	none
WE67	<i>S. ×hyacinthiflora</i> ‘Doctor Chadwick’, Skinner pre 1963, Manitoba; S III	WE66	<i>S. ×hyacinthiflora</i> ‘Blanche Sweet’, Fiala 1988, USA; S III

WE68 *S. (Villosae Group) 'Nellie Bean'*,  
Yeager 1959, USA; *S. ×josiflexa*; S VII

WE69 *Syringa* (Villosae Group) 'Alexander's  
Aristocrat', Alexander Sr, USA; S V

WE70 *S. (Villosae Group) 'Kum-Bum'*,  
Fiala 1969, USA; S II\*

WE74 *S. vulgaris* 'Krasavitsa Moskvy',  
(BEAUTY OF MOSCOW),  
Kolesnikov 1947, Russia; D I

#### WEST LILAC WALK - WEST SIDE N-S

WW1a *S. vulgaris* 'Sensation',  
Eveleens Maarse, 1938, The Netherlands;  
S VII & I

WW3 *S. vulgaris* 'Alba Grandiflora'  
perhaps Dauvesse, pre 1832; S I

WW4 *S. vulgaris* 'Nadezhdha'  
Kolesnikov 1968, Russia; D III-IV

WW5 *S. vulgaris* 'LECburg', (BURGUNDY QUEEN®),  
Daniels & Lukekens 1989, USA; S VII

WW6 *S. oblata* subsp. *dilatata*  
(Nakai) P.S. Green & M.C. Chang; S IV

WW7 *S. vulgaris* 'Znamya Lenina',  
Kolesnikov pre 1959, Russia; S VII-IV

WW8 *S. vulgaris* 'Pink Mist',  
Havemeyer & Eaton 1953, USA; S V

WW9 *S. vulgaris* 'Henri Martin',  
Lemoine 1912, France; D IV

WW10 none

WW11 *S. ×hyacinthiflora* 'Berryer',  
Lemoine 1913, France; D V

WW12 *S. vulgaris* 'Margot Grunewald',  
Grunewald 1913, Germany; D III

WW13 *S. ×diversifolia* 'William H. Judd',  
Sax & Skinner, USA & Manitoba; S 1

WW14 *S. ×hyacinthiflora* 'Necker',  
Lemoine 1920, France; S V

WW15 *S. ×chinensis* 'Saugeana'  
Saugé ca. 1820, France; S V-VII

WW16 none

#### Walk

WW17 *S. ×hyacinthiflora* 'Norah',  
Preston pre 1931, Ontario; S IV

WW18 *S. pubescens* subsp. *patula* 'Miss Kim',  
Meader & Yeager 1954, USA; S II

WW19 *S. vulgaris* 'Violet Glory',  
Castle 1969, Ontario; S II

WW20 *S. vulgaris* 'Julien Gérardin',  
Lemoine 1916, France; D IV

WW21 *S. vulgaris* 'Frank Paterson',  
Paterson 1960, Ontario; S VII

WW22 *S. vulgaris* 'Président Poincaré',  
Lemoine 1913, France; D VI

WW23 *S. vulgaris* 'Mons. Van Aerschot',  
Stepman-Demessemaeker pre 1908, Belgium;  
S IV

WW24 *S. ×hyacinthiflora* 'Vauban',  
Lemoine 1913, France; D V

WW25 *S. vulgaris* 'Mrs Calvin Coolidge',  
Franklin, A.B. ca. 1935, USA; S VI

WW26a *S. vulgaris* 'Charles Joly',  
Lemoine 1896, France; D VII

WW28 *S. vulgaris* 'Jeanne d'Arc',  
Lemoine 1902, France; D I

WW29 *S. vulgaris* 'Mont Blanc',  
Lemoine 1915, France; S I

WW30 *S. vulgaris* 'Croix de Brahy',  
Brahy-Ekenholm 1853, Belgium; S V

WW31 *S. vulgaris* 'Président Loubet',  
Lemoine 1901, France; D VI

WW32 *S. vulgaris* 'Marlyensis Pallida',  
origin not known, pre 1864; S IV

WW33 *S. vulgaris* 'Kosmos',  
Shtan'ko & Mikhailov 1956, Russia; S II

WW34 *S. vulgaris* 'Jacques Callot',  
Lemoine 1876, France; S IV

#### Walk

WW35 *S. vulgaris* 'Capitaine Perrault',  
Lemoine 1925, France; D V

- WW36 *S. vulgaris* ‘Mons. Léon Mathieu’,  
Stepman-Demessaemaker 1906, Belgium; S VI
- WW37 *S. vulgaris* ‘Maréchal Foch’,  
Lemoine 1924, France; S VI
- WW38 *S. (Villosae Group)* ‘Summer White’,  
Lape 1975, USA; *S. xhenryi*; S I
- WW39 *S. (Villosae Group)* ‘Helen’,  
Skinner 1935, Manitoba; *S. ×prestoniae*; S V-I
- WW40 *S. vulgaris* ‘Marengo’,  
Lemoine 1923, France; S IV
- WW41 *S. vulgaris* ‘Pom Pom’,  
Robinson 1937, Manitoba; S IV
- WW42 *S. vulgaris* ‘Vestale’,  
Lemoine 1910, France; S I
- WW43 *S. ×hyacinthiflora* ‘Sister Justina’,  
Skinner 1956, Manitoba; S I
- WW44 *S. vulgaris* ‘Viviand-Morel’,  
Lemoine 1902, France; D IV
- WW45 *S. ×chinensis* Schmidt ex Willd. (pro sp.);  
S IV

---

#### Walk

---

- WW46 *S. ×hyacinthiflora* ‘Montesquieu’,  
Lemoine 1926, France; S VI
- WW47 *S. ×hyacinthiflora* ‘Asessippi’  
Skinner 1932, Manitoba; S IV
- WW48 *S. (Villosae Group)* ‘Valeria’  
Preston 1928, CEF, Ontario; *S. ×prestoniae*; S II
- WW49 *Syringa vulgaris* ‘Paul Thirion’,  
Lemoine 1915, France; D VI
- WW50a *S. ×hyacinthiflora* ‘Turgot’,  
Lemoine 1920, France; S V
- WW52 *S. vulgaris* ‘A.B. Lambertton’,  
Dunbar 1916, USA; D VII
- WW53 *S. vulgaris* ‘Mme Lemoine’,  
Lemoine 1890, France; D I
- WW55 *S. vulgaris* ‘Marie Legraye’,  
Legraye pre 1879, Belgium; S I
- WW56 *S. vulgaris* ‘Madame Charles Souchet’,  
Lemoine 1949, France; S III

- 
- #### Access
- 
- WW57 *S. vulgaris* ‘Midwest Gem’,  
Sass, H.P. ; ca. 1942, USA; D V
- WW58 *Syringa vulgaris* ‘Pink Dan’  
origin unknown; D V
- WW59 *S. ×hyacinthiflora* ‘Anabel’,  
Hawkins 1956, USA; D V
- WW60 *S. vulgaris* ‘Obélisque’,  
Lemoine 1894, France; D I
- WW61 *S. ×prestoniae* ‘Elinor’  
Preston 1928, Ontario; S III
- WW62 none
- WW63 *S. vulgaris* ‘Fritz’,  
Klager 1928, USA; D V
- WW64 *S. villosa* ‘Dr Bretschneider’,  
pre 1890; S V
- WW65 *S. vulgaris* ‘Alexander Hamilton’,  
Dunbar 1923, USA; D VI
- WW66 *S. ×hyacinthiflora* ‘Hyacinthiflora Plena’  
Lemoine 1878, France; D III
- WW67 *S. ×hyacinthiflora* ‘Grace’,  
Preston pre 1942, CEF, Ontario; S VII
- WW68 *S. ×hyacinthiflora* ‘Evangeline’,  
Skinner 1934, Manitoba; D VI
- WW69 *S. vulgaris* ‘Mons. Maxime Cornu’,  
Lemoine 1886, France; D V
- WW70 *S. vulgaris* ‘Aucubaefolia’,  
Gouchault 1919, France; D III
- WW71 *S. vulgaris* ‘Dr von Regel’,  
Späth 1883, Germany; S V
- WW72 *S. vulgaris* ‘Docteur Charles Jacobs’,  
Stepman-Demessemaeker pre 1906, Belgium;  
S VII
- WW73 *S. vulgaris* ‘Kingsville’,  
Hohman 1947, USA; S VII
- WW74 *S. vulgaris* ‘Hugo Koster’,  
Koster (or van Tol) 1914, The Netherlands;  
S IV
- WW75 *S. vulgaris* ‘General Sherman’,  
Dunbar 1917, USA; S V

- WW76 *S. vulgaris* ‘Victor Lemoine’,  
Lemoine 1906, France; D IV
- WW77 *S. (Villosae Group)* ‘Julia’,  
Wickman 1993, Finland; *S. ×henryi*; S V
- WW78 *S. vulgaris* ‘Mrs. W.E. Marshall’,  
Havemeyer 1924, USA; S VII
- WW82 *S. vulgaris* ‘Ekenholm’,  
Brahy-Ekenholm pre 1854, Belgium; S IV
- WW83 *S. ×prestoniae* ‘Telimena’,  
Bugala, pre 1970, Poland; S V
- WW84 *S. (Villosae Group)* ‘Hiawatha’,  
Skinner 1932, Manitoba; *S. ×prestoniae*; S VI

WW79a *S. ×hyacinthiflora* ‘Maiden's Blush’,  
Skinner 1966, Manitoba; S V

WW81 *S. ×hyacinthiflora* ‘Sunset’,  
Clarke 1949, USA; D VI